


IN THE CLAIMS

Please amend the claims as follows:


Claim 1 (Currently Amended): An electroluminescence device comprising a pair of electrodes and a layer of an organic light emitting medium disposed between the pair of electrodes, wherein the layer of an organic light emitting medium comprises:

(A) at least one arylamine compound ~~selected from substituted and unsubstituted~~
~~arylamines having 10 to 100 carbon atoms~~ represented by the following formula (V):



wherein X³ represents a substituted or unsubstituted condensed aromatic ring group having 10 to 40 nuclear carbon atoms, Ar⁵ and Ar⁶ each independently represent a substituted or unsubstituted monovalent aromatic group having 6 to 40 carbon atoms, and p represents an integer of 1 to 4, and

(B) a compound having condensed rings represented by the following formula (IV-a):




wherein A⁹ to A¹¹ each independently represent a substituted or unsubstituted arylene group having 6 to 40 carbon atoms, A¹² to A¹⁴ each independently represent a hydrogen

atom, an alkyl group having 1 to 6 carbon atoms, a cycloalkyl group having 3 to 6 carbon atoms, an alkoxyl group having 1 to 6 carbon atoms, an aryloxy group having 5 to 18 carbon atoms, an aralkyloxy group having 7 to 18 carbon atoms, an arylamino group having 5 to 16 carbon atoms, a nitro group, a cyano group, an ester group having 1 to 6 carbon atoms or a halogen atom, and at least one of A⁹ to A¹⁴ represents a group having condensed aromatic rings, R²¹ to R²³ each independently represent hydrogen atom, an alkyl group having 1 to 6 carbon atoms, a cycloalkyl group having 3 to 6 carbon atoms, an alkoxyl group having 1 to 6 carbon atoms, an aryloxy group having 5 to 18 carbon atoms, an aralkyloxy group having 7 to 18 carbon atoms, an arylamino group having 5 to 16 carbon atoms, nitro group, cyano group, an ester group having 1 to 6 carbon atoms or a halogen atom, and at least one of A⁹ to A¹⁴ represents a group having condensed aromatic rings having at least 3 rings.

Claims 2-19 (Canceled).


Claim 20 (New): An electroluminescence device according to Claim 1, wherein X³ in formula (V) represents a residue group derived from naphthalene, phenanthrene, fluoranthene, anthracene, pyrene, perylene, coronene, chrysene, picene, diphenylanthracene, fluorene, triphenylene, rubicene, benzoanthracene, phenylanthracene, bisanthracene, dianthracenylbenzene or dibenzoanthracene.

Claim 21 (New): An electroluminescence device according to Claim 1, wherein component (A) is at least one compound selected from arylamines represented by following general formula (V-a):



wherein X^3 represents a substituted or unsubstituted condensed aromatic ring group having 10 to 40 nuclear carbon atoms, Ar^{15} to Ar^{18} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 5 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 7 to 50 carbon atoms, a substituted or unsubstituted cycloalkyl group having 3 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 carbon atoms, a substituted or unsubstituted arylamino group having 5 to 50 carbon atoms or a substituted or unsubstituted alkylamino group having 1 to 20 carbon atoms, g, h, i and j each represent an integer of 0 to 5, n represents an integer of 0 to 3, atoms and groups represented by a plurality of Ar^{15} to Ar^{18} may be a same with or different from each other and may be bonded to each other to form a saturated or unsaturated ring when g, h, i and j each represent an integer of 2 or greater, and at least one of Ar^{15} to Ar^{18} represents a substituted or unsubstituted secondary or tertiary alkyl group having 3 to 10 carbon atoms.

Claim 22 (New): An electroluminescence device according to Claim 1, wherein component (A) is at least one compound selected from arylamines represented by following general formula (V-b):



wherein X^3 represents a substituted or unsubstituted condensed aromatic ring group having 10 to 40 nuclear carbon atoms, Ar^{15} to Ar^{18} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 5 to 50 carbon atoms, a substituted or unsubstituted aralkyl group having 7 to 50 carbon atoms, a substituted or unsubstituted cycloalkyl group having 3 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 carbon atoms, a substituted or unsubstituted arylamino group having 5 to 50 carbon atoms or a substituted or unsubstituted alkylamino group having 1 to 20 carbon atoms, g , h , i and j each represent an integer of 0 to 5, and atoms and groups represented by a plurality of Ar^{15} to Ar^{18} may be a same with or different from each other and may be bonded to each other to form a saturated or unsaturated ring when g , h , i and j each represent an integer of 2 or greater,

R^{24} and R^{25} each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aralkyl group having 7 to 50 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 50 carbon atoms or a substituted or unsubstituted aryloxy group having 5 to 50 carbon atoms, k and m each represent an integer of 0 to 2, and at least one of R^{24} and R^{25} represents a substituted or unsubstituted secondary or tertiary alkyl group having 3 to 10 carbon atoms.